

Banana Punch

Strain: Banana Punch
Matrix: Plant
Type: Flower - Cured
Sample Size: Batch

Produced:
Collected:
Received: 10/09/2023
Completed: 10/10/2023
Batch#:

Producer



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/09/2023	Pass
Heavy Metals	10/10/2023	Pass

Cannabinoids

Pass

22.598% Total THC	ND Total CBD	23.845% Total Cannabinoids
-----------------------------	------------------------	--------------------------------------

Analyte	LOQ	LOQ	Results	Results
	mg/g	mg/g	%	mg/g
THCa	0.01	0.01	25.716	257.16
Δ ⁹ -THC	0.01	0.01	0.045	0.45
Δ ⁸ -THC	0.01	0.01	ND	ND
THCva	0.01	0.10	0.193	1.93
THCV	0.01	0.10	ND	ND
CBDa	0.01	0.01	ND	ND
CBD	0.01	0.01	ND	ND
CBDVa	0.01	0.10	ND	ND
CBDV	0.01	0.10	ND	ND
CBN	0.01	0.10	ND	ND
CBGa	0.01	0.10	1.229	12.29
CBG	0.01	0.10	ND	ND
CBC	0.01	0.10	ND	ND
(6aR,9S)-d10-THC	0.01	0.01	ND	ND
(6aR,9R)-d10-THC	0.01	0.01	ND	ND
Total THC			22.598	225.980
Total CBD			ND	ND
Total			27.183	271.83

Notes:

Total THC = (THCa * 0.877) + Δ⁹-THC; Total CBD = (CBDa * 0.877) + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: USP^C, FDA, SOP 6.0, 16 CCR 15724 Microbial; gPCR, SOP 6.05, 16 CCR 15720 Foreign Material; SOP 2.02 16 CCR 15722, W&O and WA; Moisture Balance, Retrac, SOP 6.07 15717



Rhodesy

Raquel Kaledjian
Lab Director
10/10/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 17260. This product has been tested by PSI Solutions using valid testing methodologies and a quality system required by state law. Values reported relate only to the product tested. PSI Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PSI Solutions. Certified by Lab Director, Dr. Raquel Kaledjian

